



**DANGER!**

H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

**Prevention:**

P260 Do not breathe mist / vapors / spray.  
P264 Wash thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves / eye protection / face protection.

**Response:**

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents / container in accordance with local / national regulations.



(509)452-4476 (800)579-6832  
2809 FRUITVALE BLVD.  
YAKIMA, WASHINGTON, USA 98902

**CleanUP**

# FoamChlor

**A CONCENTRATED FOAMING SODIUM HYPOCHLORITE CLEANER SOLUTION FOR GENERAL PLANT AND EQUIPMENT CLEANING WHILE EFFECTIVELY INCREASING CHLORINE DWELL TIME**

**SUGGESTED APPLICATION:** WHEN APPLIED WITH FOAM GENERATING EQUIPMENT, THIS PRODUCT WILL PRODUCE THICK CLINGING FOAM FOR GREATER CLEANING POWER. FOR TYPICAL LIGHT DUTY DILUTIONS USE 2.5 oz. FoamChlor TO 1 gal. WATER. FOR HEAVIER JOBS START WITH 2.5 oz FoamChlor TO 1 GALLON WARM OR COLD WATER. DILUTION RATIOS ARE SUGGESTION ONLY AND WILL NEED TO BE ADJUSTED FOR YOUR SPECIFIC USE. DO NOT MIX WITH ACIDS OR ANY OTHER COMPOUNDS. AFTER TREATMENT WITH THIS PRODUCT, RINSE WITH FRESH WATER THEN FOLLOW BY CLEANING WITH CLEAN UP DeterAL LF DETERGENT FOR BEST RESULTS.

**STORAGE:** **DO NOT ALLOW THIS PRODUCT TO FREEZE.** STORE INSIDE AT TEMPERATURES BETWEEN 40°-100° F. (4.4°C - 37.7°C) WITH CAPS SECURED WHEN NOT IN USE. PER CFR TITLE 49 SECTION 176.84 STOW "CLEAR OF LIVING QUARTERS".

**NOTICE TO USER:** **DANGER ! KEEP OUT OF REACH OF CHILDREN.** DO NOT MIX WITH ACIDS OR ANY OTHER COMPOUNDS. THIS PRODUCT CONTAINS SODIUM HYPOCHLORITE AND SODIUM HYDROXIDE WHICH ARE HAZARDOUS AND CORROSIVE TO HUMAN TISSUES. CAREFULLY READ THE MATERIAL SAFETY DATA SHEET AND ALL OTHER PRECAUTIONARY LABELING BEFORE OPENING OR USING THIS PRODUCT. WEAR APPROPRIATE PROTECTION AS DESCRIBED IN THE " HAZARDOUS MATERIAL IDENTIFICATION SYSTEM " ON THE RIGHT PANEL OF THIS LABEL AND THE MATERIAL SAFETY DATA SHEET. IN CASE OF CONTACT WITH EYES OR SKIN, IMMEDIATELY FLUSH AFFECTED AREA WITH FRESH WATER FOR 15 MINUTES AND REFER TO SECTION 5 OF THE M.S.D.S. FOR SPECIFIC PROCEDURE.

**NON-WARRANTY:**SINCE ACTUAL USE BY OTHERS IS BEYOND OUR CONTROL, NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE BY U.S. SYNTEC CORPORATION, NOR DOES U.S. SYNTEC CORPORATION ASSUME ANY LIABILITY ARISING OUT OF THE USE BY OTHERS OF THE PRODUCT REFERRED HEREIN.

**CONDICIONES DE LA GARANTIA:** DEBIDO A QUE EL USO DE ESTE PRODUCTO POR TERCEROS ESTÁ FUERA DE NUESTRO CONTROL, U. S. SYNTEC CORPORATION NO EXTENDERÁ GARANTÍA ALGUNA, COMO TAMPOCO U.S. SYNTEC CORPORATION SE HARÁ RESPONSABLE POR EL USO DE ESTE PRODUCTO POR TERCEROS.



**ERG 154**



**CONTAINER MUST BE EMPTIED, RINSED AND CAPPED BEFORE RETURNING TO U.S. SYNTEC CORP**

LOT# 11 CUF C5 5 MD0 1 8 8

55 GALLONS (208.19 LITERS) NET WT. 536 LBS.

REV. 11/15